

GM Garden[®] Master[®] Sheds



**SUPPLYING
SHEDS
TO KIWIS
SINCE 1974**

Custom design or off the shelf • Easy assembly • Superior quality that lasts
For a quick and easy online quote, visit www.gardenmastersheds.co.nz

WHY KIWIS CHOOSE GARDEN MASTER SHEDS



Custom built

Garden Master brings you New Zealand's most customisable kit-set garden sheds. Pick your roof style, size, colour, window and door placement to suit your needs.



Easy to assemble

In panel form most of our sheds are made up of only 4 walls and the roof, and can be erected in only one hour! All you need is a drill, screwdriver or riveter and maybe an extra pair of hands. Step-by-step DVD instructions will come with your shed along with all the screws or rivets to complete the job.



Built to last

Garden Master Sheds are made from high tensile steel, formed into a deep ribbed profile. It is the "rib" that provides the inherent strength of your shed. Closely spaced ribs with heavy gauge channels form a strong panel that acts as a tension membrane when assembled, making extra framework unnecessary.

HIGH TENSILE STEEL


Kiwi know-how

Family owned and operated, we've been supplying New Zealanders with garden sheds since 1974.

SUPPLYING SHEDS TO KIWIS SINCE 1974

New Zealand made

As a family we have made it our job to ensure you get the very best service and the right product at the right price. All our materials are sourced only from reputable suppliers and roll-formed in our own factory.



NEW! 18 year warranty

If any component of our shed fails – we will replace it! Make sure your shed is built and secured to our instructions as a minimum. Warranty does not cover damage or loss through act of God. Please inform your insurance provider.

Phone 0800 807 433 for tips on high wind sites.



Find a retailer near you visit www.gardenmastersheds.co.nz



GM1818



GM2323

BOXED vs PANEL SHEDS

The boxed shed is delivered in smaller pieces to make handling and transport easier and more economical. The complete shed will come broken down in one cardboard box and in most cases a longer plastic wrapped channel pack. The boxed sheds are still very much an 'easy to assemble' package with the door being pre-assembled and pre-hinged. Comes complete with hardware and screws or rivets. Floor sold separately.



The panel sheds are exactly the same as the boxed shed but the assembly will only require a quarter of the time. Our factory team has made it easy for you by assembling all the components into four walls and the roof panels. Just join the corners and slip the roof on. **Available in the North Island only.**



NO MATTER WHAT YOUR STYLE
THERE'S A
GARDEN MASTER
SHED
TO SUIT YOU!



For a quick and easy online quote, visit www.gardenmastersheds.co.nz



BUILD YOUR SHED IN 4 EASY STEPS

Choosing your Garden process – and building appropriate size – det intend to store in it. T or double doors. Our easier than ever to or
To get started, follow t visit our website for a

PICK YOUR STYLE

FLAT ROOF A simple, traditional design. Can be upgraded to sloping roof. No taller than a 6' fence for discreet locating.



GM1508
1530 (w) x 785 (l)
x 1830 (h) mm
Area: 1.78m²



GM2308
2280 (w) x 785 (l)
x 1830 (h) mm
Area: 1.19m²



GM1511
1530 (w) x 1080 (l)
x 1830 (h) mm
Area: 1.65m²



GM1811
1830 (w) x 1080 (l)
x 1830 (h) mm
Area: 1.98m²



GM2311
2280 (w) x 1080 (l)
x 1830 (h) mm
Area: 2.46m²

SLOPING ROOF Increased height at the front of the shed allows to water to run to the rear. Can be upgraded to gable roof. Height: 1980mm at front, 1830mm at back.



GM1515
1530 (w) x 1530 (l)
x 1980 (h-max) mm
Area: 2.34m²



GM1815
1830 (w) x 1530 (l)
x 1980 (h-max) mm
Area: 2.80m²



GM2315
2280 (w) x 1530 (l)
x 1980 (h-max) mm
Area: 3.49m²



GM3015
3030 (w) x 1530 (l)
x 1980 (h-max) mm
Area: 4.64m²



GM3815
3770 (w) x 1530 (l)
x 1980 (h-max) mm
Area: 5.77m²



GM1818
1830 (w) x 1830 (l)
x 1980 (h-max) mm
Area: 3.35m²

GABLE ROOF An aesthetically pleasing style which is higher in the centre. Water runs out to both sides of the shed. Height: 1830mm at front and back. Centre ridge height varies with width.



GM2323
2280 (w) x 2280 (l)
x 1830 (h-min) mm
Area: 5.20m²
Height in centre: 2025mm



GM3023
3030 (w) x 2280 (l)
x 1830 (h-min) mm
Area: 6.91m²
Height in centre: 2025mm



GM3823
3770 (w) x 2280 (l)
x 1830 (h-min) mm
Area: 8.60m²
Height in centre: 2025mm



GM3030
3030 (w) x 3030 (l)
x 1830 (h-min) mm
Area: 9.18m²
Height in centre: 2090mm



GM3823 in Gull Grey walls with Grey Friars trim and roof. Extras: Double doors, extra door, Locking T-Handles, 100mm extra wall height and skylite.



GM2315 in Titania with door change to corner.



GM3830 in Zinalume with double doors and door change to end wall.



GM2315 with upgrade to gable roof and trim. Shown in Titania with Perm roof and trim.

Master shed is a simple, step-by-step
g it is even easier! Start by choosing the
etermined by available space and what you
his will also determine the need for single
new online quoting system has made it
der your shed.

he easy steps below or
quick and easy online quote.

**GET A QUICK
AND EASY
ONLINE
QUOTE
AT**

www.gardenmastersheds.co.nz



CHOOSING THE RIGHT SHED

SIZE MATTERS

Approximate footprint dimensions of common items housed in sheds:

Lawnmower	750mm x 500mm
Lawnmower (handle up)	1500mm x 500mm
Adults pushbike	1700mm x 600mm
Ladder	200mm x 500mm
4 Burner BBQ	1500mm x 600mm
Wheelbarrow	1300mm x 500mm
Single kayak	3200mm x 750mm
Quad bike	2100mm x 1200mm

SECURITY

The good old hinged door has been a strong point with Garden Master sheds for many years. No plastic rollers or sliders to wear out and drop off. All exposed rub points are double folded for your safety. Optional double doors provide a large 1550mm wide opening for easier access. All doors come fully braced and for added security we offer the GM Securi-door (a double padbolt door) and locking T-handle. They also have concealed hinges, meaning the door has to be opened before the hinges can be removed. Doors can be positioned almost anywhere on your shed (a small charge may apply to end walls or corners).

TOUGH AS NAILS

With zinalume steel, you can be assured your shed will be there to stay for the long haul. Zinalume has been tried and tested in NZ conditions and has proven to far exceed galvanised, particularly in coastal areas.



GM3011
3030 (w) x 1080 (l)
x 1830 (h) mm
Area: 3.27m²



3030 (l)
x 1830 (h)
Area: 5.49m²



GM2318
2280 (w) x 1830 (l)
x 1980 (h-max) mm
Area: 4.17m²



GM3018
3030 (w) x 1830 (l)
x 1980 (h-max) mm
Area: 5.54m²



GM3818
3770 (w) x 1830 (l)
x 1980 (h-max) mm
Area: 6.90m²



GM3830
3770 (w) x 3030 (l)
x 1830 (h-min) mm
Area: 11.42m²
Height in centre: 2090mm



GM3838
3770 (w) x 3770 (l)
x 1830 (h-min) mm
Area: 14.21m²
Height in centre: 2155mm



and double
Permanent Green

GM3018 with double doors, extra door and door changes to end wall and corner. Shown in Desertsand with Ironsand roof and trim.

GM3838 with louvre window, double doors, GM securi-door and skylite. Shown in Smooth Cream walls with a Grey Friars roof and matching trim.

For more detailed information:
www.gardenmastersheds.co.nz

BUILD YOUR SHED IN 4 EASY STEPS

Continued from previous page.

2

PICK YOUR COLOUR

Personalise your shed with our Mix & Match system. You can customise the look of your shed to suit any landscape. Whether you prefer to have your shed all in one colour, or mix roof and wall colours, we will accommodate your needs.



Colours shown are reproduced as accurately as the limitations of the printing process allows. Please ask your retailer to see a genuine coloursteel colour chart.

3

PICK YOUR FLOORS, DOORS & WINDOWS

We suggest all sheds have a floor with extra hold-down fixings in windy areas. Wooden flooring is available as an optional extra. For complete flooring details, including concrete floors, visit gardenmastersheds.co.nz



Double Doors
1550mm (w) opening



Timber floors



Windows



Choose your door positioning


Concrete Clamps

Flat floor clamp

For existing flat concreted areas using dyna-bolts. (Bolts need to be ordered separately).

Recessed floor clamps

For specially poured concrete floors. We recommend the recessed concrete floor system as it provides greater protection from wind lift and moisture entering under your shed. (Pre-bent bolts available separately).



See website for complete instructions

4


PICK YOUR ACCESSORIES

You choose the features and ad-ons to suit you. Optional extras and add-ons must be specified when ordering.

Skylite roof sheet



Tool racks




Shelving



Extra wall height



GM Securi-door



Locking T-Handle



Cabin hook



Riveter



Sensor light



For quick answers to your questions
visit www.gardenmastersheds.co.nz



Retailer: _____
 Order No: _____



Order/Quote Form

Order Quote

Name

Address

.....

Phone

Model No OR

Your custom size

Boxed Panel Assembled

Flat roof Slope roof Gable roof

Colour Zincalume

Roof colour

Wall colour

Door colour

Trim colour: Door Roof

Add-ons

Double doors Qty
In lieu of a single door

Extra door Qty

Door change Qty

Wooden floor Qty

Louvre window Qty
Glass not included

Fixed window Qty
Glass not included

Skylite roof sheet Qty

Extra wall height mm
Standard extra height is 150mm


Layout Plan - draw as a bird's eye view

Length..... mm

Width..... mm



Example



Optional extras

- Flat floor clamp Qty
- Recessed floor clamps Qty
- Bolts (Dyna/Pre-bent) Qty
- Tool racks Qty sets
- Shelf brackets Qty pairs
- 3 MDF Shelves Qty
1200mm long
- GM Securi-door Qty
- Locking T-Handle Qty
- Cabin hook Qty
- Riveter Qty
- Sensor light Qty

Please check and sign before placing order

Customer signature:

Store signature:



Hear what some of our customers have to say about us...

Cover sheds: GM3023 with double doors, louvre window and skylite. In Desertland with grey Friars roof and trim.

"A great looking shed."
RT-Auckland

"My wife made lots of enquiries prior to ordering the shed and always found your staff great to deal with."
AP-Auckland

"I'm very happy with the sheds, they went up quickly once the floor was constructed. And, as the floors are level and square, there were no adjustments required."
MH-Hamilton

"The instructions were great - and yay for the DVD! Our shed is looking pretty sturdy out there on it's nice wooden floor."
BE-Rotorua

"Would I recommend your sheds to my friends? YES!"
PA-Cambridge

"I am very happy with all aspects of the shed. The service especially. I have no hesitation in recommending your product."
NC- Nelson

"I was impressed with the full array of sheds and the knowledge displayed when asked questions. The shed was well constructed and drilling and riveting was an absolute breeze. I am very happy with the shed - the look, the light I get through the Nova roof panel and the space."
TM-Havelock North

"I think the packaging is amazing. I wonder if I will one day need a third shed? Thank you for your excellent product."
JH-Canterbury

"It did fit my needs and was a very good price for what I got. I was interested in looking at further accessories for the shed."
AM-Queenstown

"All up a really easy shed to put up and great to use. I will certainly be recommending to other people."
ST-Dunedin

"Ideal for what I need it for and it looks good in blue. I would order a larger one next time to hide more stuff!"
PG-GORE

My favourite retailer is:

Find a retailer near you
visit www.gardenmastersheds.co.nz
or call 0800 80 SHED

